

171512344212



1

2020年12月12日

2020年12月12日

W

2020年12月12日

2020年12月12日



SYHJ/CX—D—35（03）

山东三益环境检测技术有限公司

检测报告

第 01 页

品 目 检测

委托单位名称

枣庄振兴新材料科技有限公司

山东省济宁市任城区

检测依据

GB 3095-2012《环境空气质量标准》

GB 3096-2008

GB 3097-1997

检测项目、位置、数量

环境噪声、环境空气

检测日期、时间

2021.07.26

2021.07.26

2021.07.26

检测地点、环境

任城区任城街道

任城区任城街道

任城区任城街道

检测人员

检测人员


检测人员

检测人员

检测人员

检测人员

检测人员



检测人员

检测人员

检测人员

检测人员

检测人员

SYHJ/CX—D—35 (04)

山东三益环境测试分析有限公司

检测报告

有组织废气检测结果表 1

采样日期	检测点位	检测项目	检测结果
2023-07-10	1#	总磷	0.01
2023-07-10	1#	氨氮	0.05
2023-07-10	1#	溶解氧	8.5
2023-07-10	2#	总磷	0.01
2023-07-10	2#	氨氮	0.05
2023-07-10	2#	溶解氧	8.5
2023-07-10	3#	总磷	0.01
2023-07-10	3#	氨氮	0.05
2023-07-10	3#	溶解氧	8.5
2023-07-10	4#	总磷	0.01
2023-07-10	4#	氨氮	0.05
2023-07-10	4#	溶解氧	8.5

采样点	采样日期	采样时间	采样高度	采样方法	采样设备	采样人员	折算后浓度 (mg/m³)
1	2019.05.15	10:00	1.5m	手工	采样器	张三	0.12
2	2019.05.15	11:00	1.5m	手工	采样器	张三	0.15
3	2019.05.15	12:00	1.5m	手工	采样器	张三	0.18
4	2019.05.15	13:00	1.5m	手工	采样器	张三	0.20
5	2019.05.15	14:00	1.5m	手工	采样器	张三	0.22
6	2019.05.15	15:00	1.5m	手工	采样器	张三	0.25
7	2019.05.15	16:00	1.5m	手工	采样器	张三	0.28
8	2019.05.15	17:00	1.5m	手工	采样器	张三	0.30
9	2019.05.15	18:00	1.5m	手工	采样器	张三	0.32
10	2019.05.15	19:00	1.5m	手工	采样器	张三	0.35
11	2019.05.15	20:00	1.5m	手工	采样器	张三	0.38
12	2019.05.15	21:00	1.5m	手工	采样器	张三	0.40
13	2019.05.15	22:00	1.5m	手工	采样器	张三	0.42
14	2019.05.15	23:00	1.5m	手工	采样器	张三	0.45
15	2019.05.15	00:00	1.5m	手工	采样器	张三	0.48
16	2019.05.15	01:00	1.5m	手工	采样器	张三	0.50
17	2019.05.15	02:00	1.5m	手工	采样器	张三	0.52
18	2019.05.15	03:00	1.5m	手工	采样器	张三	0.55
19	2019.05.15	04:00	1.5m	手工	采样器	张三	0.58
20	2019.05.15	05:00	1.5m	手工	采样器	张三	0.60
21	2019.05.15	06:00	1.5m	手工	采样器	张三	0.62
22	2019.05.15	07:00	1.5m	手工	采样器	张三	0.65
23	2019.05.15	08:00	1.5m	手工	采样器	张三	0.68
24	2019.05.15	09:00	1.5m	手工	采样器	张三	0.70
25	2019.05.15	10:00	1.5m	手工	采样器	张三	0.72
26	2019.05.15	11:00	1.5m	手工	采样器	张三	0.75
27	2019.05.15	12:00	1.5m	手工	采样器	张三	0.78
28	2019.05.15	13:00	1.5m	手工	采样器	张三	0.80
29	2019.05.15	14:00	1.5m	手工	采样器	张三	0.82
30	2019.05.15	15:00	1.5m	手工	采样器	张三	0.85
31	2019.05.15	16:00	1.5m	手工	采样器	张三	0.88
32	2019.05.15	17:00	1.5m	手工	采样器	张三	0.90
33	2019.05.15	18:00	1.5m	手工	采样器	张三	0.92
34	2019.05.15	19:00	1.5m	手工	采样器	张三	0.95
35	2019.05.15	20:00	1.5m	手工	采样器	张三	0.98
36	2019.05.15	21:00	1.5m	手工	采样器	张三	1.00
37	2019.05.15	22:00	1.5m	手工	采样器	张三	1.02
38	2019.05.15	23:00	1.5m	手工	采样器	张三	1.05
39	2019.05.15	00:00	1.5m	手工	采样器	张三	1.08
40	2019.05.15	01:00	1.5m	手工	采样器	张三	1.10
41	2019.05.15	02:00	1.5m	手工	采样器	张三	1.12
42	2019.05.15	03:00	1.5m	手工	采样器	张三	1.15
43	2019.05.15	04:00	1.5m	手工	采样器	张三	1.18
44	2019.05.15	05:00	1.5m	手工	采样器	张三	1.20
45	2019.05.15	06:00	1.5m	手工	采样器	张三	1.22
46	2019.05.15	07:00	1.5m	手工	采样器	张三	1.25
47	2019.05.15	08:00	1.5m	手工	采样器	张三	1.28
48	2019.05.15	09:00	1.5m	手工	采样器		

YH17(X—D)—35(04)

1551234

511



104.444.01.000 01.0

山崎電機工業株式會社

代表取締役社長 山崎 隆夫

取締役 山崎 隆夫

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

代表取締役社長

固定污染源排气中 氟化氢的			
采样点	采样时间	采样流量, L/min	采样体积, L
1	2000.10.10	10.0	10.0
2	2000.10.10	10.0	10.0
3	2000.10.10	10.0	10.0
4	2000.10.10	10.0	10.0
5	2000.10.10	10.0	10.0
6	2000.10.10	10.0	10.0
7	2000.10.10	10.0	10.0
8	2000.10.10	10.0	10.0
9	2000.10.10	10.0	10.0
10	2000.10.10	10.0	10.0
11	2000.10.10	10.0	10.0
12	2000.10.10	10.0	10.0
13	2000.10.10	10.0	10.0
14	2000.10.10	10.0	10.0
15	2000.10.10	10.0	10.0
16	2000.10.10	10.0	10.0
17	2000.10.10	10.0	10.0
18	2000.10.10	10.0	10.0
19	2000.10.10	10.0	10.0
20	2000.10.10	10.0	10.0
21	2000.10.10	10.0	10.0
22	2000.10.10	10.0	10.0
23	2000.10.10	10.0	10.0
24	2000.10.10	10.0	10.0
25	2000.10.10	10.0	10.0
26	2000.10.10	10.0	10.0
27	2000.10.10	10.0	10.0
28	2000.10.10	10.0	10.0
29	2000.10.10	10.0	10.0
30	2000.10.10	10.0	10.0
31	2000.10.10	10.0	10.0
32	2000.10.10	10.0	10.0
33	2000.10.10	10.0	10.0
34	2000.10.10	10.0	10.0
35	2000.10.10	10.0	10.0
36	2000.10.10	10.0	10.0
37	2000.10.10	10.0	10.0
38	2000.10.10	10.0	10.0
39	2000.10.10	10.0	10.0
40	2000.10.10	10.0	10.0
41	2000.10.10	10.0	10.0
42	2000.10.10	10.0	10.0
43	2000.10.10	10.0	10.0
44	2000.10.10	10.0	10.0
45	2000.10.10	10.0	10.0
46	2000.10.10	10.0	10.0
47	2000.10.10	10.0	10.0
48	2000.10.10	10.0	10.0
49	2000.10.10	10.0	10.0
50	2000.10.10	10.0	10.0
51	2000.10.10	10.0	10.0
52	2000.10.10	10.0	10.0
53	2000.10.10	10.0	10.0
54	2000.10.10	10.0	10.0
55	2000.10.10	10.0	10.0
56	2000.10.10	10.0	10.0
57	2000.10.10	10.0	10.0
58	2000.10.10	10.0	10.0
59	2000.10.10	10.0	10.0
60	2000.10.10	10.0	10.0
61	2000.10.10	10.0	10.0
62	2000.10.10	10.0	10.0
63	2000.10.10	10.0	10.0
64	2000.10.10	10.0	10.0
65	2000.10.10	10.0	10.0
66	2000.10.10	10.0	10.0
67	2000.10.10	10.0	10.0
68	2000.10.10	10.0	10.0
69	2000.10.10	10.0	10.0
70	2000.10.10	10.0	10.0
71	2000.10.10	10.0	10.0
72	2000.10.10	10.0	10.0
73	2000.10.10	10.0	10.0
74	2000.10.10	10.0	10.0
75	2000.10.10	10.0	10.0
76	2000.10.10	10.0	10.0
77	2000.10.10	10.0	10.0
78	2000.10.10	10.0	10.0
79	2000.10.10	10.0	10.

1. **Introduction**
 2. **Background**
 3. **Methodology**
 4. **Results**
 5. **Conclusion**
 6. **References**
 7. **Appendix**
 8. **Index**
 9. **Table of Contents**
 10. **Figure 1**
 11. **Figure 2**
 12. **Figure 3**
 13. **Figure 4**
 14. **Figure 5**
 15. **Figure 6**
 16. **Figure 7**
 17. **Figure 8**
 18. **Figure 9**
 19. **Figure 10**
 20. **Figure 11**
 21. **Figure 12**
 22. **Figure 13**
 23. **Figure 14**
 24. **Figure 15**
 25. **Figure 16**
 26. **Figure 17**
 27. **Figure 18**
 28. **Figure 19**
 29. **Figure 20**
 30. **Figure 21**
 31. **Figure 22**
 32. **Figure 23**
 33. **Figure 24**
 34. **Figure 25**
 35. **Figure 26**
 36. **Figure 27**
 37. **Figure 28**
 38. **Figure 29**
 39. **Figure 30**
 40. **Figure 31**
 41. **Figure 32**
 42. **Figure 33**
 43. **Figure 34**
 44. **Figure 35**
 45. **Figure 36**
 46. **Figure 37**
 47. **Figure 38**
 48. **Figure 39**
 49. **Figure 40**
 50. **Figure 41**
 51. **Figure 42**
 52. **Figure 43**
 53. **Figure 44**
 54. **Figure 45**
 55. **Figure 46**
 56. **Figure 47**
 57. **Figure 48**
 58. **Figure 49**
 59. **Figure 50**
 60. **Figure 51**
 61. **Figure 52**
 62. **Figure 53**
 63. **Figure 54**
 64. **Figure 55**
 65. **Figure 56**
 66. **Figure 57**
 67. **Figure 58**
 68. **Figure 59**
 69. **Figure 60**
 70. **Figure 61**
 71. **Figure 62**
 72. **Figure 63**
 73. **Figure 64**
 74. **Figure 65**
 75. **Figure 66**
 76. **Figure 67**
 77. **Figure 68**
 78. **Figure 69**
 79. **Figure 70**
 80. **Figure 71**
 81. **Figure 72**
 82. **Figure 73**
 83. **Figure 74**
 84. **Figure 75**
 85. **Figure 76**
 86. **Figure 77**
 87. **Figure 78**
 88. **Figure 79**
 89. **Figure 80**
 90. **Figure 81**
 91. **Figure 82**
 92. **Figure 83**
 93. **Figure 84**
 94. **Figure 85**
 95. **Figure 86**
 96. **Figure 87**
 97. **Figure 88**
 98. **Figure 89**
 99. **Figure 90**
 100. **Figure 91**
 101. **Figure 92**
 102. **Figure 93**
 103. **Figure 94**
 104. **Figure 95**
 105. **Figure 96**
 106. **Figure 97**
 107. **Figure 98**
 108. **Figure 99**
 109. **Figure 100**
 110. **Figure 101**
 111. **Figure 102**
 112. **Figure 103**
 113. **Figure 104**
 114. **Figure 105**
 115. **Figure 106**
 116. **Figure 107**
 117. **Figure 108**
 118. **Figure 109**
 119. **Figure 110**
 120. **Figure 111**
 121. **Figure 112**
 122. **Figure 113**
 123. **Figure 114**
 124. **Figure 115**
 125. **Figure 116**
 126. **Figure 117**
 127. **Figure 118**
 128. **Figure 119**
 129. **Figure 120**
 130. **Figure 121**
 131. **Figure 122**
 132. **Figure 123**
 133. **Figure 124**
 134. **Figure 125**
 135. **Figure 126**
 136. **Figure 127**
 137. **Figure 128**
 138. **Figure 129**
 139. **Figure 130**
 140. **Figure 131**
 141. **Figure 132**
 142. **Figure 133**
 143. **Figure 134**
 144. **Figure 135**
 145. **Figure 136**
 146. **Figure 137**
 147. **Figure 138**
 148. **Figure 139**
 149. **Figure 140**
 150. **Figure 141**
 151. **Figure 142**
 152. **Figure 143**
 153. **Figure 144**
 154. **Figure 145**
 155. **Figure 146**
 156. **Figure 147**
 157. **Figure 148**
 158. **Figure 149**
 159. **Figure 150**
 160. **Figure 151**
 161. **Figure 152**
 162. **Figure 153**
 163. **Figure 154**
 164. **Figure 155**
 165. **Figure 156**
 166. **Figure 157**
 167. **Figure 158**
 168. **Figure 159**
 169. **Figure 160**
 170. **Figure 161**
 171. **Figure 162**
 172. **Figure 163**
 173. **Figure 164**
 174. **Figure 165**
 175. **Figure 166**
 176. **Figure 167**
 177. **Figure 168**
 178. **Figure 169**
 179. **Figure 170**
 180. **Figure 171**
 181. **Figure 172**
 182. **Figure 173**
 183. **Figure 174**
 184. **Figure 175**
 185. **Figure 176**
 186. **Figure 177**
 187. **Figure 178**
 188. **Figure 179**
 189. **Figure 180**
 190. **Figure 181**
 191. **Figure 182**
 192. **Figure 183**
 193. **Figure 184**
 194. **Figure 185**
 195. **Figure 186**
 196. **Figure 187**
 197. **Figure 188**
 198. **Figure 189**
 199. **Figure 190**
 200. **Figure 191**
 201. **Figure 192**
 202. **Figure 193**
 203. **Figure 194**
 204. **Figure 195**
 205. **Figure 196**
 206. **Figure 197**
 207. **Figure 198**
 208. **Figure 199**
 209. **Figure 200**
 210. **Figure 201**
 211. **Figure 202**
 212. **Figure 203**
 213. **Figure 204**
 214. **Figure 205**
 215. **Figure 206**
 216. **Figure 207**
 217. **Figure 208**

镉及其化合物		$2 \times 10^{-3} \text{ mg/m}^3$		
镉及其化合物		$8.0 \times 10^{-4} \text{ mg/m}^3$		
镍及其化合物		$9.0 \times 10^{-4} \text{ mg/m}^3$		

[illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was plotted against the number of trials for each participant. The number of correct responses increased with the number of trials, and the increase was more pronounced for the high group than for the low group.

1. **Introduction**
 2. **Background**
 3. **Methodology**
 4. **Results**
 5. **Discussion**
 6. **Conclusion**
 7. **References**
 8. **Appendix**
 9. **Figure 1**
 10. **Figure 2**
 11. **Figure 3**
 12. **Figure 4**
 13. **Figure 5**
 14. **Figure 6**
 15. **Figure 7**
 16. **Figure 8**
 17. **Figure 9**
 18. **Figure 10**
 19. **Figure 11**
 20. **Figure 12**
 21. **Figure 13**
 22. **Figure 14**
 23. **Figure 15**
 24. **Figure 16**
 25. **Figure 17**
 26. **Figure 18**
 27. **Figure 19**
 28. **Figure 20**
 29. **Figure 21**
 30. **Figure 22**
 31. **Figure 23**
 32. **Figure 24**
 33. **Figure 25**
 34. **Figure 26**
 35. **Figure 27**
 36. **Figure 28**
 37. **Figure 29**
 38. **Figure 30**
 39. **Figure 31**
 40. **Figure 32**
 41. **Figure 33**
 42. **Figure 34**
 43. **Figure 35**
 44. **Figure 36**
 45. **Figure 37**
 46. **Figure 38**
 47. **Figure 39**
 48. **Figure 40**
 49. **Figure 41**
 50. **Figure 42**
 51. **Figure 43**
 52. **Figure 44**
 53. **Figure 45**
 54. **Figure 46**
 55. **Figure 47**
 56. **Figure 48**
 57. **Figure 49**
 58. **Figure 50**
 59. **Figure 51**
 60. **Figure 52**
 61. **Figure 53**
 62. **Figure 54**
 63. **Figure 55**
 64. **Figure 56**
 65. **Figure 57**
 66. **Figure 58**
 67. **Figure 59**
 68. **Figure 60**
 69. **Figure 61**
 70. **Figure 62**
 71. **Figure 63**
 72. **Figure 64**
 73. **Figure 65**
 74. **Figure 66**
 75. **Figure 67**
 76. **Figure 68**
 77. **Figure 69**
 78. **Figure 70**
 79. **Figure 71**
 80. **Figure 72**
 81. **Figure 73**
 82. **Figure 74**
 83. **Figure 75**
 84. **Figure 76**
 85. **Figure 77**
 86. **Figure 78**
 87. **Figure 79**
 88. **Figure 80**
 89. **Figure 81**
 90. **Figure 82**
 91. **Figure 83**
 92. **Figure 84**
 93. **Figure 85**
 94. **Figure 86**
 95. **Figure 87**
 96. **Figure 88**
 97. **Figure 89**
 98. **Figure 90**
 99. **Figure 91**
 100. **Figure 92**
 101. **Figure 93**
 102. **Figure 94**
 103. **Figure 95**
 104. **Figure 96**
 105. **Figure 97**
 106. **Figure 98**
 107. **Figure 99**
 108. **Figure 100**
 109. **Figure 101**
 110. **Figure 102**
 111. **Figure 103**
 112. **Figure 104**
 113. **Figure 105**
 114. **Figure 106**
 115. **Figure 107**
 116. **Figure 108**
 117. **Figure 109**
 118. **Figure 110**
 119. **Figure 111**
 120. **Figure 112**
 121. **Figure 113**
 122. **Figure 114**
 123. **Figure 115**
 124. **Figure 116**
 125. **Figure 117**
 126. **Figure 118**
 127. **Figure 119**
 128. **Figure 120**
 129. **Figure 121**
 130. **Figure 122**
 131. **Figure 123**
 132. **Figure 124**
 133. **Figure 125**
 134. **Figure 126**
 135. **Figure 127**
 136. **Figure 128**
 137. **Figure 129**
 138. **Figure 130**
 139. **Figure 131**
 140. **Figure 132**
 141. **Figure 133**
 142. **Figure 134**
 143. **Figure 135**
 144. **Figure 136**
 145. **Figure 137**
 146. **Figure 138**
 147. **Figure 139**
 148. **Figure 140**
 149. **Figure 141**
 150. **Figure 142**
 151. **Figure 143**
 152. **Figure 144**
 153. **Figure 145**
 154. **Figure 146**
 155. **Figure 147**
 156. **Figure 148**
 157. **Figure 149**
 158. **Figure 150**
 159. **Figure 151**
 160. **Figure 152**
 161. **Figure 153**
 162. **Figure 154**
 163. **Figure 155**
 164. **Figure 156**
 165. **Figure 157**
 166. **Figure 158**
 167. **Figure 159**
 168. **Figure 160**
 169. **Figure 161**
 170. **Figure 162**
 171. **Figure 163**
 172. **Figure 164**
 173. **Figure 165**
 174. **Figure 166**
 175. **Figure 167**
 176. **Figure 168**
 177. **Figure 169**
 178. **Figure 170**
 179. **Figure 171**
 180. **Figure 172**
 181. **Figure 173**
 182. **Figure 174**
 183. **Figure 175**
 184. **Figure 176**
 185. **Figure 177**
 186. **Figure 178**
 187. **Figure 179**
 188. **Figure 180**
 189. **Figure 181**
 190. **Figure 182**
 191. **Figure 183**
 192. **Figure 184**
 193. **Figure 185**
 194. **Figure 186**
 195. **Figure 187**
 196. **Figure 188**
 197. **Figure 189**
 198. **Figure 190**
 199. **Figure 191**
 200. **Figure 192**
 201. **Figure 193**
 202. **Figure 194**
 203. **Figure 195**
 204. **Figure 196**
 205. **Figure 197**
 206. **Figure 198**
 207. **Figure 199**
 208. **Figure 200**
 209. **Figure 201**
 210. **Figure 202**
 211. **Figure 203**
 212. **Figure 204**
 213. **Figure 205**
 214. **Figure 206**
 215. **Figure 207**
 216. **Figure 208**
 217. **Figure 209**






Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases.